

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9617	data adj sequence	USPAT	OR	OFF	2005/10/31 17:25
S2	19473	data adj sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:26
S3	1941	(data adj sequence) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:36
S4	109	(data adj sequence) with detect\$3 with (operation or transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:27
S5	32	(data adj sequence) with detect\$3 with (operation or transaction) with receiv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:28
S6	2	((data adj sequence) with detect\$3) with (write near10 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:37
S7	33	((data adj sequence) with detect\$3) with write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:46
S8	29	((predetermined adj data adj sequence) with detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:54

EAST Search History

S9	15	((includ\$3 or contain) near10 (predetermined adj data adj sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:56
S10	62	(data near3 writ\$3) near10 ((includ\$3 or contain) near10 (data adj sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:57
S11	1	(data near3 writ\$3) near10 ((includ\$3 or contain) near10 (data adj sequence)) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:58
S12	8	(data near3 writ\$3) near10 ((includ\$3 or contain) near10 (data adj sequence)) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 18:00
S13	14	writ\$3 near10 ((includ\$3 or contain) near10 (data adj sequence)) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:47
S14	627	((write or store) near2 operation) same (data near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:48
S15	107	((write or store) near2 operation) same (data near2 sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:49
S16	75	((write or store) adj operation) same (data near2 sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:03

EAST Search History

S17	1328	(flag adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:53
S18	299	(flag adj sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:03
S19	4	(flag adj sequence) same detect\$3 same writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:04
S20	132918	(written near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:05
S21	282849	(received near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:05
S22	23219	(received near2 data) near10 (writ\$3 or store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:06
S23	1328	flag adj sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:12
S24	299	(flag adj sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:06

EAST Search History

S25	7	S22 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:06
S26	31255	predetermined adj sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:12
S27	444	S22 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:12
S28	3915	(predetermined adj sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:13
S29	62	S22 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:40
S30	171	predetermined adj data adj sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 12:33
S31	43	(predetermined adj data adj sequence) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:03
S32	15	(predetermined adj data adj sequence) same (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:41

EAST Search History

S33	127	(predetermined adj sequence) same (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:42
S34	59	(predetermined adj sequence) same (in or include\$1 or within) same (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:42
S35	3	(predetermined adj sequence) near10 (in or include\$1 or within) near10 (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:45
S36	3635	(predetermined adj sequence) near10 (in or include\$1 or within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:45
S37	27	(predetermined adj data adj sequence) near10 (in or include\$1 or within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:45
S38	30	(predetermined adj data adj sequence) near10 (in or includ\$3 or within)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:49
S39	25	(predetermined adj data adj sequence) near10 (compris\$3 or includ\$3 or contain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:49
S40	178	(flag adj sequence) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:54

EAST Search History

S41	2	(flag adj sequence) with detect\$3 with writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:54
S42	76	(data adj sequence) with detect\$3 with writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 14:18
S43	3	extended adj command adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:25
S44	0	write same (sequence with recived with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:26
S45	767	write same (sequence with received with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:26
S46	496	write same (sequence near10 received near10 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:26
S47	35	write same ((data adj sequence) near10 (received near5 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:52
S48	85	((data adj sequence) near2 (includ\$3 or compris\$3 or contain\$3)) near10 (received near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 18:01

EAST Search History

S49	25	(writ\$3 or stor\$3) same ((data adj sequence) near2 (includ\$3 or compris\$3 or contain\$3)) near10 (received near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 17:54
S50	73	((data adj sequence) near2 (includ\$3 or compris\$3 or contain\$3)) near5 (received near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 18:11
S51	6	((predetermined adj sequence) near2 (includ\$3 or compris\$3 or contain\$3)) near5 (received near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 18:12
S52	171	(predetermined adj data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:35
S53	29	detect\$3 with (predetermined adj data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:38
S54	118	(determin\$3 with writ\$3) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:38
S55	100	(determin\$3 near10 writ\$3) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:46
S56	62	(written adj data) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:04

EAST Search History

S57	959	(received adj data) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:04
S58	19	((received adj data) near10 writ\$3) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:15
S59	46	(received) same (predetermined adj data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:30
S60	0	(file adj write) same (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:32
S61	24	(file adj write) and (data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:39
S62	16980	(within or in or contain\$1 or comprise\$1 or include\$1) near10 (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:40
S63	14	S52 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:45
S64	9428	detect\$3 with (data near5 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:46

EAST Search History

S65	827	detect\$3 with (data near5 sequence) with (data near3 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:59
S66	24	detect\$3 with (data near5 sequence) with (data near3 received) with writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:47
S67	336	detect\$3 near10 (data near2 sequence) near10 (data near3 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:00
S68	11	detect\$3 near10 (predetermined near2 data near2 sequence) near10 (data near3 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:03
S69	21637	stor\$3 near10 (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:04
S70	235	(stor\$3 near10 (received adj data)) with (data near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:04
S71	24	(stor\$3 near10 (received adj data)) with (data near2 sequence) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:08
S72	3	(stor\$3 near10 (received adj data)) with (predetermined near2 sequence) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 11:26

EAST Search History

S73	17	(stor\$3 near10 (received adj data)) with (predetermined near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:05
S74	3538	(detect\$3) with (predetermined near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:06
S75	29	(detect\$3) with (predetermined adj data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:06
S76	353	detect\$3 near10 (data adj patterns)	USPAT	OR	OFF	2005/12/14 12:11
S77	64	(detect\$3 near10 (data adj patterns)) with writ\$3	USPAT	OR	OFF	2005/12/14 12:17
S78	0	(recieved adj written adj data)	USPAT	OR	OFF	2005/12/14 12:17
S79	0	(receieved adj written adj data)	USPAT	OR	OFF	2005/12/14 12:18
S80	19	(received adj written adj data)	USPAT	OR	OFF	2005/12/14 12:50
S81	1283	(received adj data) near10 write	USPAT	OR	OFF	2005/12/14 12:51
S82	3	((received adj data) near10 write) same (predetermined adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:54
S83	6	(received near10 write) with (predetermined adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:56
S84	96	(sequence near2 write) with (received near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:59

EAST Search History

S85	16	(sequence near2 write) with (received near2 data) same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:57
S86	16	(sequence near2 write) with (received near2 data) same (detect\$3 or monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 12:57
S87	46	(sequence near2 write) with (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:17
S88	135	(predetermined near3 sequence) with (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:18
S89	83	(predetermined near3 data near3 sequence) with (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:26
S90	4	(predetermined near3 sequence near3 include\$1) near10 (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:28
S91	5	(predetermined adj data adj sequence) same (response\$1 near10 detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 13:29
S92	4537	predetermined near2 data near2 (pattern or sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:28

EAST Search History

S93	240	(predetermined near2 data near2 (pattern or sequence)) with (received near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:29
S94	57	(predetermined near2 data near2 (pattern or sequence)) with (received near2 data) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:32
S95	56	(predetermined near2 data near2 (pattern or sequence)) with (operation or access) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:42
S96	691	(predetermined near2 data near2 (pattern or sequence)) with (found or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:43
S97	503	(predetermined near2 data near2 (pattern or sequence)) near10 (found or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:43
S98	14	((predetermined near2 data near2 (pattern or sequence)) near10 (found or detect\$3)) with (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:45
S99	27	(predetermined near2 data near2 (pattern or sequence)) near10 (found)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:46
S100	3792	(data near2 (pattern or sequence)) near10 (detected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:47

EAST Search History

S10 1	229	((data near2 (pattern or sequence)) near10 (detected)) with (operation or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:47
S10 2	0	((data near2 (pattern or sequence)) near10 (detected)) with (writ\$3 near3 (peration or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:48
S10 3	0	((data near2 (pattern or sequence)) with (detected)) with (writ\$3 near3 (peration or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:48
S10 4	6	((data near2 (pattern or sequence)) with (detected)) same (writ\$3 near3 (peration or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:49
S10 5	29	((data near2 (pattern or sequence)) with (detected)) same (writ\$3 near3 (operation or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:51
S10 6	42	((data near2 (pattern or sequence)) with (detected)) same (read near3 (operation or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:52
S10 7	284	((data near2 (pattern or sequence)) near5 (having or contain\$1 or include\$1 or comprise\$1) near5 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:53
S10 8	5	((data near2 (pattern or sequence)) near5 (having or contain\$1 or include\$1 or comprise\$1) near5 received) same writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:55

EAST Search History

S10 9	112	((data adj (pattern or sequence)) near5 (having or contain\$1 or include\$1 or comprise\$1) near5 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:59
S11 0	3	((predetermined adj data adj (pattern or sequence)) near5 (having or contain\$1 or include\$1 or comprise\$1) near5 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:00
S11 1	200	predetermined adj data adj sequence\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:12
S11 2	16	(predetermined adj data adj sequence\$1) same (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:45
S11 3	0	(predetermined adj data adj sequence\$1) same (written adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:46
S11 4	1	(predetermined adj data adj sequence\$1) same (write adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:47
S11 5	5	(predetermined adj data adj sequence\$1) same (write near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:47
S11 6	889	(data adj sequence\$1) same (write near5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:48

EAST Search History

S11 7	132	(data adj sequence\$1) same (data near5 write near5 (operation or access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:48
S11 8	74	(data adj sequence\$1) with (data near5 write near5 (operation or access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:06
S11 9	456	(determin\$3 near5 operation) same (data near3 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:06
S12 0	160	(determin\$3 near5 operation) with (data near3 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:08
S12 1	41	(determin\$3 near5 operation) with (data near3 sequence) with (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:13
S12 2	13767	perform\$3 near2 write near3 (operation or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:13
S12 3	168	(perform\$3 near2 write near3 (operation or access)) same (data near5 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:25
S12 4	3427	(perform\$3 near2 (operation or access)) same ((within or includ\$3) near3 (received or stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:26

EAST Search History

S12 5	130	(perform\$3 near2 (operation or access)) same ((within or includ\$3) near3 (received or stored) adj (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:28
S12 6	33	(perform\$3 near2 (operation or access)) with ((within or includ\$3) near3 (received or stored) adj (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:32
S12 7	129	(data near2 (sequence or pattern)) with ((within or includ\$3) near3 (received or stored) adj (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:33
S12 8	942	(data near2 (sequence or pattern)) with ((within or includ\$3) near3 (received or stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:33
S12 9	638	(data near2 (sequence or pattern)) with ((within or includ\$3) near3 (received or stored)) with (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:34
S13 0	450	(data near2 (sequence or pattern)) near10 ((within or includ\$3) near3 (received or stored)) near10 (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:36
S13 1	390	(data near2 (sequence or pattern)) near5 ((within or includ\$3) near3 (received or stored)) near10 (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:36
S13 2	85	(data adj (sequence or pattern)) near5 ((within or includ\$3) near3 (received or stored)) near10 (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:37

EAST Search History

S13 3	37227	(data adj (sequence or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:37
S13 4	933	(data adj (sequence or pattern)) with (received adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:38
S13 5	167	(data adj (sequence or pattern)) with (received adj data) with (stor\$3 or writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:38
S13 6	1347	(707/6).CCLS.	USPAT; USOCR	OR	OFF	2006/02/15 17:53
S13 7	114	((data adj (pattern or sequence)) near5 (having or contain\$1 or include\$1 or comprise\$1) near5 received)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 17:54
S13 8	1	S136 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 17:54
S13 9	808250	(received or stored) near10 (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 17:55
S14 0	77851	((received or stored) adj data) near10 (writ\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:01
S14 1	109	S136 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 17:55

EAST Search History

S14 2	7553	((received or stored) adj data) near10 ((writ\$3 or stor\$3) near2 (operation or access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:02
S14 3	13	(data adj sequence) near10 ((received or stored) adj data) near10 ((writ\$3 or stor\$3) near2 (operation or access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:05
S14 4	81	(data adj sequence) near10 (within or includ\$3 or contain\$3) near10 ((received or stored) adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:18
S14 5	3	(data adj sequence) near10 (compar\$5) near10 (((received or stored) adj data) near2 (writ\$3 or stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:20
S14 6	71	(data adj sequence) near10 (compar\$5) near10 ((received or stored) adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:28
S14 7	11	(perform\$3 near5 writ\$3) near10 (compar\$5) near10 ((received or stored) adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 18:30
S14 8	216	compar\$3 near5 (data adj sequence)	USPAT	OR	OFF	2006/02/16 12:16
S14 9	10	(compar\$3 near5 (data adj sequence)) with ((writ\$3 or stored) adj (data or information))	USPAT	OR	OFF	2006/02/16 12:14
S15 0	50	(writ\$3 or stor\$3) with (compar\$3 near5 (data adj sequence))	USPAT	OR	OFF	2006/02/16 12:27
S15 1	6	(writ\$3 or stor\$3) with (compar\$3 near5 (data adj sequence)) with (read\$3 or load\$3)	USPAT	OR	OFF	2006/02/16 13:02
S15 2	838	(detect\$3 near10 (data adj sequence))	USPAT	OR	OFF	2006/02/16 12:55

EAST Search History

S15 3	45	(detect\$3 near10 (data adj sequence)) with ((stored or received) adj data)	USPAT	OR	OFF	2006/02/16 12:56
S15 4	18	(writ\$3 or stor\$3) with (matched near2 data near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 13:08
S15 5	5	(matched adj data adj sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 13:09
S15 6	3216	(write or store) near2 compar\$5 near10 read	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:15
S15 7	1	(write or store) near2 compar\$5 near10 (received adj data) near10 read	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:16